

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	167863	(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model\$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 13:55
L2	1	L1 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 13:59
L3	13	L1 and(creat\$3 or obtaining)adj polygon adj mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 14:00
L4	1	L3 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 14:01
L5	1	L3 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 14:07
L6	0	L5 and(@ad<"20020604" or @riad<"20020604" or @prad<"20020604" or @plad<"20020604")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/02 14:07
L8	6116	382/154,151,173,181,190,254,276,294,293.CCL.S.	USPAT	OR	ON	2009/05/02 14:12
L9	1580	L8 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model\$1 or template)	USPAT	OR	ON	2009/05/02 14:12
L10	1	L9 and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 14:12
L11	0	L10 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 14:13

L12	1	L10 and(@ad<"20020604" or @rtad<"20020604" or @prad<"20020604" or @ptad<"20020604")	USPAT	OR	ON	2009/05/02 14:18
L14	0	L10 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 14:20
L15	0	L12 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1)	USPAT	OR	ON	2009/05/02 14:20
L16	8649	345/420,423,419,582,428,581,473,421,619,427,646,647,441,440.CCLS	USPAT	OR	ON	2009/05/02 14:23
L17	3710	L16 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 14:23
L18	1	L17 and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 14:24
L19	213	L17 and(creat\$3 or obtaining)and polygon adj mesh	USPAT	OR	ON	2009/05/02 14:24
L20	0	L19 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 14:25
L21	0	L19 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1)	USPAT	OR	ON	2009/05/02 14:25
L22	45	L17 and(creat\$3 or obtaining)same polygon adj mesh	USPAT	OR	ON	2009/05/02 14:26
L23	0	L22 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 14:27
L24	39	L22 and(@ad<"20020604" or @rtad<"20020604" or @prad<"20020604" or @ptad<"20020604")	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/05/02 14:27
L25	35	L22 and @ad<"20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2009/05/02 14:33
L26	0	L25 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1)	USPAT	OR	ON	2009/05/02 15:14
L27	4	L25 and bilinear	USPAT	OR	ON	2009/05/02 15:14
L28	2514	703/1,2.CCLS	USPAT	OR	ON	2009/05/02 15:25
L29	879	L28 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 15:26

L30	18	L29 and(creat\$3 or obtaining)and polygon adj mesh	USPAT	OR	ON	2009/05/02 15:26
L31	0	L30 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 15:26
L32	0	L30 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 15:27
L33	358	702/1,5.CCLs.	USPAT	OR	ON	2009/05/02 15:28
L34	93	L33 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 15:28
L35	1	L34 and(creat\$3 or obtaining)and polygon adj mesh	USPAT	OR	ON	2009/05/02 15:28
L36	0	L35 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 15:29
L37	0	L35 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 15:29
L38	127	706/919.ccls.	USPAT	OR	ON	2009/05/02 15:30
L39	36	L38 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 15:30
L40	0	L39 and(creat\$3 or obtaining)and polygon adj mesh	USPAT	OR	ON	2009/05/02 15:30
L41	0	L39 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 15:30
L42	0	L39 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 15:30
L43	603	700/182.ccls.	USPAT	OR	ON	2009/05/02 15:31
L44	312	L43 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 15:31
L45	3	L44 and(creat\$3 or obtaining)and polygon adj mesh	USPAT	OR	ON	2009/05/02 15:32
L46	0	L45 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 15:32
L47	0	L45 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 15:32
L48	3	L45 and(@ad<"20020604" or @lad<"20020604" or @prad<"20020604" or @ptad<"20020604")	USPAT	OR	ON	2009/05/02 15:33
L49	2	L45 and @ad<"20020604"	USPAT	OR	ON	2009/05/02 15:33

L50	195	715/964.ccls.	USPAT	OR	ON	2009/05/02 15:34
L51	94	L50 and(creat\$3 or obtaining or general\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	USPAT	OR	ON	2009/05/02 15:35
L52	0	L51 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	USPAT	OR	ON	2009/05/02 15:35
L53	0	L51 and break\$3 and polygon adj mesh and bilinear and nurbs adj patches	USPAT	OR	ON	2009/05/02 15:35
L56	1	(creat\$3 and(three adj dimensional or 3D or 3-D)and(model\$1 or template)and polygon adj mesh and breaking and polygon adj mesh bilinear adj nurbs and uniting and form and continuous adj surface and composite and(surface adj model or model\$1)).QJM.	US-PGPUB	OR	ON	2009/05/02 15:42
L57	93	((("6037949" or ("6222553" or ("6222553" or ("6256038" or ("6271856" or ("6356263" or ("6476804" or ("6806874" or ("6853373" or ("6906718" or ("6956568" or ("6996505" or ("7236170" or ("7274364" or ("20020158880" or ("20030020710" or ("20030128209" or ("20040102866" or ("20040170302" or ("20040189633" or ("20050073520" or ("20050128210" or ("20050128211" or ("20050168463" or ("20060017723" or ("20060098008" or ("20070030267" or ("20070030268" or ("20080074419" or ("20080084414" or ("6489960" or ("6873944" or ("7191104" or ("20010002131" or ("20040010346" or ("20060056695" or ("5581672" or ("5856828" or ("5510995" or ("5627949" or ("6317126" or ("6373489" or ("6567087" or ("6600485" or ("6670962" or ("6683620" or ("6731280" or ("6943789" or ("6958752" or ("7035716" or (").pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/02 15:49
L58	56	L57 and(creat\$3 or obtaining or general\$3)and(three adj dimensional or 3D or 3-D)and (model\$1 or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:51
L59	18	L58 and(creat\$3 or obtaining)and polygon adj mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:51
L60	1	L59 and digitizing and object and(creat\$3 or obtaining)adj polygon adj mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:52
L61	2	L59 and digitizing and object and(creat\$3 or obtaining)and polygon adj mesh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:52

L62	1	L61 and bilinear and nurbs adj patches and form adj surface and(model\$1 or solid adj model or suface adj model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:52
L63	0	L62 and(@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/02 15:53
S1	2	(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)same(model or template)and polygon adj mesh and bilinear adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:07
S2	0	S1 and (@ad<"20020604" or @rlad<"20020604" or @prad<"20020604" or @ptad<"20020604")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:10
S3	2	(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model or template)and polygon adj mesh and bilinear adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:11
S4	2	S3 and triangular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:13
S5	0	S4 and stitch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:14
S6	3	((CHRISTOF) near2 (HOLBERG)).INV.	US-PGPUB; USPAT	OR	ON	2008/08/28 16:14
S7	0	S6 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and(model or template)and polygon adj mesh and bilinear adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:14

S8	0	S6 and(creat\$3 or obtaining or generat\$3)and (three adj dimensional or 3D or 3-D)same (model or template)and polygon adj mesh and bilinear adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:15
S9	0	S6 and @ad< "20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:17
S10	0	S3 and @ad< "20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:18
S11	0	S4 and @ad< "20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:18
S12	30066	((GES or intial adj graphics adj exchange adj specification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:26
S13	3187	S12 and (CAD OR CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:26
S14	1297	S13 and @ad< "20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:27
S15	0	S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear adj patches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:27

S16	0	S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)and polygon adj mesh and bilinear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:27
S17	739	S14 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:27
S18	36	S17 and triangular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:28
S19	4	S18 and (stitch\$3 or uniting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:35
S20	342	((IGES or initial adj graphics adj exchange adj specification)same files	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:38
S21	282	S20 and (CAD OR CAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:38
S22	131	S21 and @ad< "20020604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:38
S23	86	S22 and(creat\$3 or obtaining or generat\$3)and(three adj dimensional or 3D or 3-D)and (model or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:39

S24	11	S23 and triangular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:39
-----	----	--------------------	---	----	----	---------------------

5/2/09 3:53:23 PM

C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\6882.wsp